

PREMIUM ONE

Product overview



Premium One implants



h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●
7.00	-	-	AS-ZT-425-070	AS-ZT-500-070
8.50	A-ZT-330-085	A-ZT-380-085	AS-ZT-425-085	AS-ZT-500-085
10.00	A-ZT-330-100	A-ZT-380-100	AS-ZT-425-100	AS-ZT-500-100
11.50	A-ZT-330-115	A-ZT-380-115	AS-ZT-425-115	AS-ZT-500-115
13.00	A-ZT-330-130	A-ZT-380-130	AS-ZT-425-130	AS-ZT-500-130
15.00	A-ZT-330-150	A-ZT-380-150	AS-ZT-425-150	AS-ZT-500-150
18.00	-	A-ZT-380-180	AS-ZT-425-180	-

Surgical cover screw



A-VT-330

A-VT-380

SH-VT-425-BL

SH-VT-500-VI

Surgical kits

Premium One surgical kit



ZPREMIUM-ONE-INT grommetless surgical kit including all the instruments for Premium One implants

AS-TRAY-INT Radel instrument grommetless tray for Premium One implants

For further information on the surgical kit and the surgical procedures, please consult the surgical manual MC-IMP-PREMIUM-ONE-E.


Drilling kit for short Premium One implants



ZSHORTY-INT drilling kit for short Premium One implants

SHORTY-TRAY-INT Radel instrument grommetless tray for short Premium One implants

Premium One and Shelta surgical kit



ZPRESH-INT grommetless surgical kit including all the instruments for Premium One and Shelta implants

ASH-TRAY-INT Radel instrument grommetless tray for Premium One and Shelta implants

For further information on the surgical kit and the surgical procedures, please consult the surgical manual MC-IMP-


Premium Kohno One surgical kit



ZPREKOH-ONE-INT grommetless surgical kit including all the instruments for Premium One and Kohno One implants

AK-TRAY-INT Radel instrument grommetless tray for Premium One and Kohno One implants

Premium One guided surgery surgical kit






ZGS-PRO-A-INT grommetless surgical kit including all the instruments for guided surgery insertion of Premium One implants

GSPROA-TRAY-INT Radel instrument grommetless tray for guided insertion of Premium One implants



For further information on the surgical kit and the surgical procedures, please consult the surgical manual MC-UD-EPLANPROA-E.

Instruments included in Premium One surgical kit

Precision and intermediate drills

	FS-230	precision drill
	FG-200/280XS	intermediate drill 200/280
	FG-330/425XS	intermediate drill 330/425

Pilot drill, intermediate drill and related stops

	FPT3-200-LXS	pilot drill
	FFT3-250-LXS	intermediate cylindrical drill

h

7.00 STOP4-200-070

8.50 STOP4-200-085

10.00 STOP4-200-100


11.50 STOP4-200-115

13.00 STOP4-200-130







15.00 STOP4-200-150



Bone taps with hexagonal connector

	ø 3.30	ø 3.80	ø 4.25	ø 5.00
A-MS-330	A-MS-380	A-MS-425	A-MS-500	




Screwdrivers

	HSMXS-20-DG	digital, extra short
	HSM-20-DG	digital, short
	HSML-20-DG	digital, long
	HSM-20-EX	with hexagonal connector
	HSML-20-EX	with hexagonal connector, long
	HSM-20-CA	with right angle shank

Dynamometric ratchet

	CR15-KIT
---	----------

Easy Insert Drivers for implant insertion

	EASYC4-EX230-CA	short
	EASYL4-EX230-CA	long
	EASY4-EX230-EX	with hexagonal connector

Final drills and related stops

	ø 3.30	ø 3.80	ø 4.25	ø 5.00
FFT3-280-LXS	FFT3-300-LXS	FFT3-340-LXS	FFT3-425-LXS	

h

7.00 STOP4-280-070 STOP4-300-070 STOP4-340-070 STOP4-425-070

8.50 STOP4-280-085 STOP4-300-085 STOP4-340-085 STOP4-425-085

10.00 STOP4-280-100 STOP4-300-100 STOP4-340-100 STOP4-425-100





11.50 STOP4-280-115 STOP4-300-115 STOP4-340-115 STOP4-425-115

13.00 STOP4-280-130 STOP4-300-130 STOP4-340-130 STOP4-425-130


15.00 STOP4-280-150 STOP4-300-150 STOP4-340-150 STOP4-425-150




Extensions and adapters

	BPM-15	extensions for instruments with hexagonal connector
	PROF-CAL3	extension for surgical drills
	B-AVV-CA3	mechanical adapter for instruments with hexagonal connector
	AVV3-MAN-DG	digital knob

Parallelism pins with depth laser marking






	PPTL-2-28
---	-----------

X-ray templates



	AS-L100	real dimensions
	AS-L120	dimensions increased by 20%
	AS-L130	dimensions increased by 30%

Optional instruments (not included in Premium One surgical kit)


Initial drills for short implants

	FPS-200	pilot drill
	STOPS4-200-070	stop for pilot drill
	FGS-200/300	intermediate drill 200/300
	FGS-340/425	intermediate drill 340/425
	FGS-425/540	intermediate drill 425/540


Final drills for short implants and related stops

	FFS-300	FFS-340	FFS-425
	STOPS4-300-070	STOPS4-340-070	STOPS4-425-070










Short bone taps with hexagonal connector

	ø 3.30	ø 3.80	ø 4.25	ø 5.00
A-MS-C-330	A-MS-C-380	A-MS-C-425	A-MS-C-500	




Bone taps with right angle shank

	ø 3.30	ø 3.80	ø 4.25	ø 5.00
A-MS-330-CA	A-MS-380-CA	A-MS-425-CA	A-MS-500-CA	


Screwdrivers

	HSMXL-20-EX	with hexagonal connector, extra long
	HSMXS-20-CA	with right angle shank, extra short
	AVV-CAP-TIT-1	instrument for maintaining of the titanium cap for ball attachments
	BASCC-EX	for ball attachments, with hexagonal connector
	AVV2-ABUT	for straight P.A.D. abutments
	8926-SW	for Locator abutment, short
	8927-SW	for Locator abutment, long
	DSPDCLH-24	for Dynamic Abutment and Interfase Dynamica, length 24 mm
	DSPDCLH-32	for Dynamic Abutment and Interfase Dynamica, length 32 mm


Parallelism pins

	PPTS-2-28	with depth laser marking, small
	PP-2/28	without depth laser marking, standard
	PPS-2/3	for short implants


Adapter

	AVV-CA-DG-EX	adapter for right angle shank instruments
---	--------------	---




Countersink drills

	ø 3.80	ø 4.25	ø 5.00
A-FCC-380	A-FCC-425	A-FCC-500	


Drills for distal sectors

	ø		ø	
	2.00	FPT5-200-LXS	3.30	FFT5-330-LXS
	2.80	FFT5-280-LXS	3.40	FFT5-340-LXS
	2.90	FFT5-290-LXS	3.60	FFT5-360-LXS
	3.00	FFT5-300-LXS	4.25	FFT5-425-LXS
	3.20	FFT5-320-LXS	4.45	FFT5-445-LXS

Bone profilers

transgingival h 3.00, wide				
	ø 3.30	ø 3.80	ø 4.25	ø 5.00
A-PAD-PS330-L	A-PAD-PS380-L	A-PAD-PS425-L	A-PAD-PS500-L	
transgingival h 5.00, narrow				
	ø 3.30	ø 3.80	ø 4.25	ø 5.00
A-PAD-PS330-S	A-PAD-PS380-S	A-PAD-PS425-S	A-PAD-PS500-S	
	A-PAD-GUI-PS-230	guide cylinder		

Osteotomes with flat tip

	E-OS-020-PP	ø tip 0.20
	E-OS-090-PP	ø tip 0.90
	E-OS-160-PP	ø tip 1.60
	E-OS-200-PP	ø tip 2.00
	E-OS-240-PP	ø tip 2.40



Extraction tools for intraoral removing of implants

	BC-EX230	corta
	BL-EX230	lunga

Depth gauge

	PROF3
--	-------

Mounter

	MOU-EX230	mounter
	CM2	mounter stop key

P.A.D. carrier

	PAD-CAR
--	---------

Torque wrench with control lever

	TWL
--	-----

Spare O-ring

	ORING180-088
---	--------------

Implant platforms and prosthetic combinations

The connection platforms of Premium One implants are characterized by the presence of the same hexagon and external collar, which allows the choice of the size of the abutment.

According to the chosen prosthetic protocol, a Platform Switching can be made or a matching size post can be used.

ø implant	3.30 ●	3.80 ●	4.25 ●	5.00 ●
ø compatible prosthetic component	3.30 ●	3.30 ●	3.30 ●	3.30 ●
	-	3.80 ●	3.80 ●	3.80 ●
	-	-	4.25 ●	4.25 ●
	-	-	-	5.00 ●


Please note

Prosthetic components with ø 3.30 mm determine prosthetic Platform Switching with ø 3.80 mm implants. These components should only be used for single crowns in frontal sectors (premolar excluded), and in distal sectors only to support multiple restorations.

Tissues conditioning


Healing abutments

Healing abutments with straight emergence




transgingival h	ø 3.30 ●	ø 3.80 ●
2.00	A-TMG-330-2	A-TMG-380-2
3.00	A-TMG-330-3	A-TMG-380-3
5.00	A-TMG-330-5	A-TMG-380-5
7.00	A-TMG-330-7	-

Healing abutments with anatomical emergence




transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●
2.00	A-TMGR-330-2	A-TMGR-380-2	AS-TMGR-425-2	AS-TMGR-500-2
3.00	A-TMGR-330-3	A-TMGR-380-3	AS-TMGR-425-3	AS-TMGR-500-3
5.00	A-TMGR-330-5	A-TMGR-380-5	AS-TMGR-425-5	AS-TMGR-500-5
7.00	-	A-TMGR-380-7	AS-TMGR-425-7	AS-TMGR-500-7

Healing abutments with coronal enlargement




transgingival h	ø 3.30 ●	ø 3.80 ●
2.00	A-TMTCR-330-2	A-TMTCR-380-2
3.00	A-TMTCR-330-3	A-TMTCR-380-3
5.00	A-TMTCR-330-5	A-TMTCR-380-5

Healing abutments with wide profile






transgingival h	ø 3.30 ●	ø 3.80 ●
2.00	A-TMGB-330-2	A-TMGB-380-2
3.00	A-TMGB-330-3	A-TMGB-380-3
4.00	A-TMGB-330-4	A-TMGB-380-4


Temporary posts

PEEK temporary posts with titanium base					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-MPSC-330	-	-	-	repositionable, straight emergence
	A-MPSCR-330	A-MPSCR-380	AS-MPSCR-425	AS-MPSCR-500	repositionable, anatomical emergence

VM2-180 fixation screw included.


SIMPLE titanium temporary posts					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-MPSA-330-EX	A-MPSA-380-EX	-	-	repositionable, anatomical emergence
	A-MPSA-330	A-MPSA-380	-	-	rotating, anatomical emergence
	A-MPSCI-330-EX	A-MPSCI-380-EX	AS-MPSCI-425-EX	AS-MPSCI-500-EX	repositionable, straight emergence
	A-MPSCI-330	A-MPSCI-380	AS-MPSCI-425	AS-MPSCI-500	rotating, straight emergence
	A-MPS-330	A-MPS-380	-	-	rotating, wide emergence

VM2-180 fixation screw included.


Titanium temporary posts with castable sleeve					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-CTI-330	A-CTI-380	-	-	rotating
	A-CCI-S	A-CCI-S	-	-	spare castable PMMA sleeve, fixation screw not included


VM2-180 fixation screw included.

Impression and model phase





Pick-up transfers					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-TRA-330	A-TRA-380	AS-TRA-425	AS-TRA-500	straight emergence
	A-TRAR-330	A-TRAR-380	AS-TRAR-425	AS-TRAR-500	anatomical emergence

Vite VTRA2-180-15 inclusa.

Pull-up transfers					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-TRAP-330	-	-	-	straight emergence
	A-TRARP-330	A-TRARP-380	AS-TRARP-425	AS-TRARP-500	anatomical emergence


Closed-tray transfers					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-TRAS-330	-	-	-	straight emergence
	A-TRARS-330	A-TRARS-380	AS-TRARS-425	AS-TRARS-500	anatomical emergence



VTRA2-180-10 fixation screw included.

Analog	
	A-ANA-330 ø 3.30 ●
	A-ANA-380 ø 3.80 ●
	SH-ANA-425 ø 4.25 ●
	SH-ANA-500 ø 5.00 ●



Posts

Premade posts

Premade posts for direct screwing						
	transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
		A-MDAD-330	A-MDAD-380	-	-	


Premade straight posts						
	transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	1.00	A-MD-330-1	A-MD-380-1	AS-MD-425-1	AS-MD-500-1	
	2.00	A-MD-330-2	A-MD-380-2	AS-MD-425-2	AS-MD-500-2	straight emergence
	4.00	A-MD-330-4	A-MD-380-4	AS-MD-425-4	AS-MD-500-4	
	1.00	A-MDR-330-1	A-MDR-380-1	AS-MDR-425-1	AS-MDR-500-1	
	2.00	A-MDR-330-2	A-MDR-380-2	AS-MDR-425-2	AS-MDR-500-2	anatomical emergence
	4.00	A-MDR-330-4	A-MDR-380-4	AS-MDR-425-4	AS-MDR-500-4	

VM2-180 fixation screw included.


Premade angled posts						
	transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	1.75	A-MA15-330	-	-	-	angled at 15°, straight emergence
	1.80	A-MAR15-330	A-MAR15-380	AS-MAR15-425	AS-MAR15-500	angled at 15°, anatomical emergence
	1.80	-	A-MAR25-380	AS-MAR25-425	-	angled at 25°, anatomical emergence

VM2-180 fixation screw included.


Preparable posts

Standard preparable posts					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-MF-330	A-MF-380	AS-MF-425	AS-MF-500	straight emergence
	A-MFR-330	A-MFR-380	AS-MFR-425	AS-MFR-500	anatomical emergence

VM2-180 fixation screw included.

Precut preparable posts					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-MFP-330	-	-	-	straight emergence
	A-MFPR-330	A-MFPR-380	AS-MFPR-425	AS-MFPR-500	anatomical emergence

VM2-180 fixation screw included.




SIMPLE preparable posts					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-MFS-330	A-MFS-380	AS-MFS-425	AS-MFS-500	very wide emergence

VM2-180 fixation screw included.

Interceptive Technique preparable abutments		
	A-MFTI-380	ø 3.80 ●

VM2-180 fixation screw included.


Prosthetic solutions for vertical technique

Componenti for vertical technique		
	unique platform	
	A-TMG-MEFL-330	Gr. 5 titanium healing abutments
	A-PPF-330-EX	REEF resin posts, repositionable
	A-PPF-330	REEF resin posts, rotating
	A-MEFL-330	Gr. 5 titanium preparable posts
	CAP-MEFL-5	impression cap

Resin and preparable posts: fixation screw VM2-180 included.




XA prosthetic range

Posts for XA cemented restorations


	transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	1.00	SH-MD-F-330-1	SH-MD-F-380-1	SH-MD-F-425-1	-	
	2.00	SH-MD-F-330-2	SH-MD-F-380-2	SH-MD-F-425-2	-	

L-VMS-180 fixation screw included.










Components for XA cemented restorations

	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	SH-ANA-MD-F-330	SH-ANA-MD-F-380	SH-ANA-MD-F-425	-	analog
	SH-TRA-MD-F-330	SH-TRA-MD-F-380	SH-TRA-MD-F-425	-	transfer
	SH-CP-MD-F-330	SH-CP-MD-F-380	SH-CP-MD-F-425	-	PEEK caps

Posts for XA screw retained restorations

	transgingival h	ø 3.30 ●	ø 3.80 ●
	4.50	A-ABU-F-TS-330-4	SH-ABU-F-TS-380-4
	5.50	A-ABU-F-TS-330-5	SH-ABU-F-TS-380-5
	6.50	A-ABU-F-TS-330-6	SH-ABU-F-TS-380-6




Components for XA screw retained restorations

	unique platform	
	SH-ANABU-F-380	analog
	SH-TRABU-F-380	transfer
	SH-CCABU-F-380	castable sleeves, repositionable
	SH-CCABU-F-380-ROT	castable sleeves, rotating
	SH-CG-ABU-F-380	PEEK healing cap
	SH-CTABU-F-380	Gr. 5 titanium sleeves, repositionable
	SH-CTABU-F-380-ROT	Gr. 5 titanium sleeves, rotating
	CAP-TS-DEF	Conoweld cap for luting

Transfer: SH-VTRABU-F-200 screw included. Castable and titanium sleeves: A-PLAIN-VP200 screw included.



Castable posts with a metal base and fully castable posts

Castable posts with a metal base

	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-UCR-330-EX	A-UCR-380-EX	AS-UCR-425-EX	AS-UCR-500-EX	gold alloy base, repositionable
	A-UCTR-330-EX	A-UCTR-380-EX	-	-	Gr. 5 titanium base, repositionable
	A-UCRCO-330-EX	A-UCRCO-380-EX	AS-UCRCO-425-EX	AS-UCRCO-500-EX	cobalt chrome base, repositionable
	A-UCR-330	A-UCR-380	AS-UCR-425	AS-UCR-500	gold alloy base, rotating
	A-UCRCO-330	A-UCRCO-380	AS-UCRCO-425	AS-UCRCO-500	cobalt chrome base, rotating
	A-CCUCR-330	A-CCUCR-380	AS-CCUCR-425	AS-CCUCR-500	spare castable PMMA sleeve, fixation screw not included



VM2-180 fixation screw included.

Dynamic Abutment

	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	PD3PKH330/CC	PD3PKH380/CC	-	-	cobalt chrome base, repositionable
	PD3PKR330/CC	PD3PKR380/CC	-	-	cobalt chrome base, rotating
	PD3PKH330/P	PD3PKH380/P	-	-	fully castable, repositionable
	PD3PKR330/P	PD3PKR380/P	-	-	fully castable, rotating

TPDH18L66 screw not included.

Fully castable posts

	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-CC-330-EX	A-CC-380-EX	-	-	repositionable, straight emergence
	A-CCR-330-EX	A-CCR-380-EX	AS-CCR-425-EX	AS-CCR-500-EX	repositionable, anatomical emergence
	A-CC-330	A-CC-380	-	-	rotating, straight emergence
	A-CCR-330	A-CCR-380	AS-CCR-425	AS-CCR-500	rotating, anatomical emergence

VM2-180 fixation screw included.

For further information please consult the prosthetic manual MP-IMP-PKS-ONE-E.

Abutments



P.A.D. abutments (Disparallel Screwed Prosthesis)

Straight P.A.D. abutments					
transgingival h	ø 3.30	ø 3.80	ø 4.25	ø 5.00	
1.50	A-PAD-AD330-15	A-PAD-AD380-15	AS-PAD-AD425-15	AS-PAD-AD500-15	
3.00	A-PAD-AD330-30	A-PAD-AD380-30	AS-PAD-AD425-30	AS-PAD-AD500-30	
4.00	A-PAD-AD330-40	A-PAD-AD380-40	AS-PAD-AD425-40	AS-PAD-AD500-40	







Angled P.A.D. abutments					
transgingival h	ø 3.30	ø 3.80	ø 4.25	ø 5.00	
3.00	A-PAD-AA330-173	A-PAD-AA380-173	AS-PAD-AA425-173	AS-PAD-AA500-173	angled at 17°
5.00	A-PAD-AA330-175	A-PAD-AA380-175	AS-PAD-AA425-175	AS-PAD-AA500-175	
3.00	A-PAD-AA330-303	A-PAD-AA380-303	AS-PAD-AA425-303	AS-PAD-AA500-303	angled at 30°
5.00	A-PAD-AA330-305	A-PAD-AA380-305	AS-PAD-AA425-305	AS-PAD-AA500-305	

PAD-VM-180 fixation screw included.




P.A.D. components for overstructures

Protection caps		
	unique platform	
PAD-CG		in Gr. 5 titanium
	PAD-CGP	in PEEK









PAD-VP-140 fixation screw included.

Impression and model phase		
	unique platform	
	PAD-CAP	POM cap for impression taking, rotating
	PAD-CAP-EX	POM cap for impression taking, repositionable
	PAD-TRA	Gr. 5 titanium Pick-up transfer, rotating
	PAD-TRA-EX	Gr. 5 titanium Pick-up transfer, repositionable
	PAD-ANA	Gr. 5 titanium analog for P.A.D. abutment








Pick-up transfer: PAD-VTRAL-140 fixation screw included.

Castable abutments with a metal base		
	unique platform	
	PAD-UC	PMMA castable sleeve, gold alloy base, rotating
	PAD-UCRCO	PMMA castable sleeve, cobalt chrome base, repositionable

PAD-VP-140 fixation screw included.

P.A.D. components for prosthesis relining and luting technique		
	unique platform	
	PAD-CP	PEEK sleeve for relining, rotating
	PAD-CP-EX	PEEK sleeve for relining, repositionable
	PAD-CT	Gr. 5 titanium sleeves, rotating
	PAD-CT-EX	Gr. 5 titanium sleeves, repositionable
	PAD-CCEM	PMMA castable sleeve for Gr. 5 titanium sleeves, fixation screw not included
	PAD-CC	castable sleeves in PMMA, rotating
	PAD-CC-EX	castable sleeves in PMMA, repositionable

PEEK, Gr. 5 titanium and PMMA sleeves: PAD-VP-140 screw included.





P.A.D. prostheses for D.P.F. technique		
	unique platform	
	PAD-CT-LV	spare titanium sleeve
	PAD-CC-LV	spare castable centring device
	PAD-TR-LV	spare anti-escape plug
	PAD-ORING-LV	spare protection O-ring
	PAD-LV	complete pack of the prosthetic components for the "D.P.F." technique
	BARC	castable bars, l 5 cm, ø 2.20 mm

Titanium sleeves: PAD-VP-140 fixation screw included.

Intermediate abutments

Intermediate abutments					
transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
1.00	A-ABU-330-1	A-ABU-380-1	-	-	
2.00	A-ABU-330-2	A-ABU-380-2	-	-	






A-VABU-180 screw included.

Components for intermediate abutments				
	ø 3.30 ●	ø 3.80 ●		
	A-TRABU-330	A-TRABU-380	Pick-up transfers	
	A-ANABU-330	A-ANABU-380	analog	
	-	A-CTABU-380-ROT	Gr. 5 titanium sleeves	
	A-CCABU-330-ROT	A-CCABU-380-ROT	spare castable PMMA sleeve, fixation screw not included	

Pick-up transfers: A-VTRABU-180 fixation screw included. Titanium sleeves: A-VABU-180 fixation screw included.

PLAIN abutments

PLAIN abutments					
transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
2.00	A-PLAIN-ABU330-2	A-PLAIN-ABU380-2	AS-PLAIN-ABU425-2	AS-PLAIN-ABU500-2	
3.00	A-PLAIN-ABU330-3	A-PLAIN-ABU380-3	AS-PLAIN-ABU425-3	AS-PLAIN-ABU500-3	
4.00	A-PLAIN-ABU330-4	A-PLAIN-ABU380-4	AS-PLAIN-ABU425-4	AS-PLAIN-ABU500-4	

Components for PLAIN abutments					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-PLAIN-CG330	A-PLAIN-CG380	A-PLAIN-CG425	A-PLAIN-CG500	healing caps
	A-PLAIN-CC330	A-PLAIN-CC380	A-PLAIN-CC425	A-PLAIN-CC500	castable sleeves
	A-PLAIN-CT330	A-PLAIN-CT380	A-PLAIN-CT425	A-PLAIN-CT500	Gr. 5 titanium sleeves
	A-PLAIN-TRA-330	A-PLAIN-TRA-380	A-PLAIN-TRA-425	A-PLAIN-TRA-500	Pick-up transfers
	A-PLAIN-ANA-330	A-PLAIN-ANA-380	A-PLAIN-ANA-425	A-PLAIN-ANA-500	analog

Castable and titanium sleeves: A-PLAIN-VP200 fixation screw included. Pick-up transfers: A-PLAIN-VTRA200 fixation screw included.

CAD-CAM prosthetic solutions

Customized abutments and screw retained crowns (full or with luting support)

Full bridges or bridges with luting support



DIRECT/TORONTO Full bridges or bridges with luting support

Milled bars tightened on implants





Scanbodies

Laboratory scanbodies in Ergal

	ø 3.30 ●	ø 3.80 ●	
	A-CAMETRA330	A-CAMETRA380	to transfer implant connection position
	unique platform		
	PAD-CAMETRA500		to transfer P.A.D. abutments connection position





Scanbody for implants: fixation screw VM2-180 included. Scanbody for abutments: fixation screw PAD-VP-140 included.

Scanbodies for intraoral use in PEEK with titanium base

	ø 3.30 ●	ø 3.80 ●	
	A-INT-CAMTRA330	A-INT-CAMTRA380	to transfer implant connection position
	unique platform		
	PAD-INT-CAMTRA		to transfer P.A.D. abutments connection position

Scanbody for implants: fixation screw VM2-180 included. Scanbody for abutments: fixation screw PAD-VP-140 included.



Scanbodies for laboratory and intraoral use in titanium

	ø 3.30 ●	ø 3.80 ●	
	A-INT-CAMTRA330-L	A-INT-CAMTRA380-L	to transfer implant connection position
	unique platform		
	PAD-INT-CAMTRA-L		for P.A.D. abutments
	A-INT-CAMTRA-PLAIN-L		for PLAIN abutments
	XA-INT-CAMTRA-L		for XA posts

Scanbody for implants: fixation screw VM2-180 included. Scanbody for P.A.D. abutments: fixation screw PAD-VP-140 included. Scanbody for PLAIN and XA abutments: fixation screw A-PLAIN-VP200 included.



Supports for luting technique

Standard T-Connect

	cone height	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	4.00	A-BASTZR-S-330-4	A-BASTZR-S-380-4	AS-BASTZR-S-425-4	AS-BASTZR-S-500-4	repositionable
	6.00	A-BASTZR-S-330-6	A-BASTZR-S-380-6	AS-BASTZR-S-425-6	AS-BASTZR-S-500-6	
	4.00	A-BASTZR-M-330-4	A-BASTZR-M-380-4	AS-BASTZR-M-425-4	AS-BASTZR-M-500-4	rotating
	6.00	A-BASTZR-M-330-6	A-BASTZR-M-380-6	AS-BASTZR-M-425-6	AS-BASTZR-M-500-6	


VM2-180 fixation screw included.

T-Connect with 4.00 mm cone height and different transgingival heights



	transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	1.00	A-TCR-S-330-4-1	A-TCR-S-380-4-1	-	-	repositionable
	2.00	A-TCR-S-330-4-2	A-TCR-S-380-4-2	-	-	
	3.00	A-TCR-S-330-4-3	A-TCR-S-380-4-3	-	-	
	1.00	A-TCR-M-330-4-1	A-TCR-M-380-4-1	-	-	rotating
	2.00	A-TCR-M-330-4-2	A-TCR-M-380-4-2	-	-	
	3.00	A-TCR-M-330-4-3	A-TCR-M-380-4-3	-	-	

VM2-180 fixation screw included.

Sleeves for wax-up modeling

	cone height	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●
	4.00	A-CCBAS-330-4	A-CCBAS-380-4	A-CCBAS-425-4	A-CCBAS-500-4
	6.00	A-CCBAS-330-6	A-CCBAS-380-6	A-CCBAS-425-6	A-CCBAS-500-6

Interfase Dynamica

	cone height	ø 3.30 ●	ø 3.80 ●	
	4.00	IND3PKR330/TIA	IND3PKR380/TIA	rotating
	4.00	IND3PKH330/TIA	IND3PKH380/TIA	repositionable

TPDH18L66 fixation screw not included.

Titanium sleeves for P.A.D. abutments




PAD-BASTZR

PAD-VP-140 fixation screw included.

Supports for luting chairside technique

Chairside T-Connect supports with 5.00 mm h cementation cone

	transgingival height	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●
	0.50	A-TCS-330S-C	A-TCS-380S-C	AS-TCS-425S-C	AS-TCS-500S-C
	1.50	A-TCS-330S-C-15	A-TCS-380S-C-15	-	-
	2.50	A-TCS-330S-C-25	A-TCS-380S-C-25	-	-

VM2-180 fixation screw included.

Titanium premilled posts

	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-CAMT-330-12-SW	A-CAMT-380-12-SW	AS-CAMT-425-12-SW	AS-CAMT-500-12-SW	repositionable

VM2-180 fixation screw included.


Titanium premilled for XA abutments

	unique platform
	XA-CAMT-ABU-12-SW

A-PLAIN-VP100 fixation screw included.


Conico conometric prosthesis

Straight Conico posts

	transgingival h	ø 3.30 ●	ø 3.80 ●
	0.50	A-MD-TS-330-05	-
	1.00	A-MD-TS-330-10	A-MD-TS-380-10
	2.00	A-MD-TS-330-20	A-MD-TS-380-20
	3.00	A-MD-TS-330-30	A-MD-TS-380-30







VM2-180 fixation screw included.

Angled Conico posts






	ø 3.30 ●	ø 3.80 ●	
	A-MA07-TS-330-2	A-MA07-TS-380-2	angled at 7.5°
	A-MA15-TS-330-2	A-MA15-TS-380-2	angled at 15°
	A-MA20-TS-330-2	A-MA20-TS-380-2	angled at 22.5°

VM2-180 fixation screw included.

Components for conometric prosthesis








	CAP2-TS-DEF	cap for partial or full-arch fixed prosthesis
	CAP2-TS-IND	non-rotating cap for single element
	CAP2-TS-REM	cap for the removal
	CAP2-TS-IMP	PEEK transfer cap for direct impression on Conico abutment
	ANA2-MD-TS	Conico post analog
	CAP2-TS-PIN	cap with pin, to be used for intraoral welding











Gr. 2 titanium bars, for prostheses on conometric posts*

	DW-BARRA1.2	circular profile l 150 mm, ø 1.20 mm
	DW-BARRA1.5	circular profile l 150 mm, ø 1.50 mm
	DW-BARRA1.8	circular profile l 150 mm, ø 1.80 mm
	DW-BARRA1x3	rectangular profile l 100 mm, 3x1 mm
	DW-BARRA2x4	rectangular profile l 100 mm, 4x2 mm

* 5 pieces packaging.

Clinical and laboratory prosthetic screws

Standard fixation screws		
	VM2-180	
	VM2-180-10	10 pcs packaging
Conical support fixation screws		
	L-VMS-180	
	L-VMS-180-10	10 pcs packaging
Fixation screws for Dynamic Abutment and Interface Dynamica		
	TPDH18L66	
Screws for Pick-up transfer		
	VTRA2-180-15	h 15.00
	VTRA2-180-20	h 20.00
	VTRA2-180-MAN	for manual screwing
Screws for closed-tray transfers		
	VTRA2-180-10	h 10.00
Recommended torque for tightening prosthetic components		
8-10 Ncm	surgical cover screws, healing abutments	
20-25 Ncm	prosthetic screws	
25-30 Ncm	direct screwing on implants prosthetic components	
8-10 Ncm	transfer screws	










Screws for P.A.D. abutments		
	PAD-VM-180	
	PAD-VM-180-10	10 pcs packaging
	PAD-VTRAL-140	for Pick-up transfer, long
	PAD-VTRA-140	for Pick-up transfer, standard
	PAD-VTRAL-140-MAN	for Pick-up transfer, manual screwing
	PAD-VP-140	for prosthetic components on P.A.D. abutments
	PAD-VP-140-10	10 pcs packaging
Screws for PLAIN abutments		
	A-PLAIN-VP200	
	A-PLAIN-VP200-10	10 pcs packaging
	A-PLAIN-VTRA200	for PLAIN abutment transfers
Screws for CAD-CAM custom made prosthesis		
	A-CAMTVABU180	for zirconium oxide single crowns and ECHO overstructures
	PAD-VCAM140	for zirconium oxide ECHO overstructures on P.A.D. abutments
	CAMPRON205-10	spare ring washers for the head of the screw


















Warning

Fixation screws are always included in the packaging of each prosthetic component, unless otherwise indicated. Please use laboratory screws for laboratory phases and keep the screw included with the prosthetic component for the final fastening in the patient's mouth.


Solutions for overdenture








Locator abutments and accessories









Locator abutments		
	transgingival h	ø 3.30 ● ø 3.80 ●
	1.00	1670 1675
	2.00	1671 1676
	3.00	1672 1677
	4.00	- 1678
	5.00	1674 1679
	6.00	- 1680
Accessories for Locator abutments		
	unique platform	
	8530	4 aluminium analogs
	8505	4 aluminium transfers, 4 retainers cod. 8515 included
	8517	4 parallelism pins in nylon
	9530	steel plate AISI 316 L
Locator Core Tool		
	8393	complete Locator Core Tool
	8397	steel push rod for inserting the retainers in the caps
	8390	steel driver for abutment screwing/unscrewing
	8394	retention jacket for the driver, to transfer the Locator abutments into the oral cavity

Retainers and spacer rings for Locator abutments		
	unique platform	
	8515	low retention capacity for impression taking, black, in polyethylene, 4 pcs packaging
	8524	retention 5 lb = 2268 g, in nylon, disparallelisms up to 10° per side, 4 pcs packaging
	8527	retention 3 lb = 1361 g, in nylon, disparallelisms up to 10° per side, 4 pcs packaging
	8529	retention 1,5 lb = 680 g, in nylon, disparallelisms up to 10° per side, 4 pcs packaging
	8547	retention 4 lb = 1814 g, in nylon, disparallelisms up to 20° per side, 4 pcs packaging
	8915	retention 2 lb = 907 g, in nylon, disparallelisms up to 20° per side, 4 pcs packaging
	8548	retention 1 lb = 450 g, in nylon, disparallelisms up to 20° per side, 4 pcs packaging
	8514	spacer rings in silicon rubber, 20 pcs packaging
		
8519-2	kit: 2 Gr. 5 titanium caps, 2 spacer rings, 2 black retainers and 2 nylon retainers for each of the 3 different retention capacities	
		
8540-2	kit: 2 Gr. 5 titanium caps, 2 spacer rings, 2 black retainers and 2 nylon retainers for each of the 3 different retention capacities meant for disparallelisms	
		
8550-2	kit: 2 Gr. 5 steel caps, 2 spacer rings, 2 black retainers and 2 nylon retainers for each of the 3 different retention capacities	


Locator R-Tx abutments and accessories








Locator R-Tx abutments			
	transgingival h	ø 3.30 ●	ø 3.80 ●
	1.00	31110-01	31111-01
	2.00	31110-02	31111-02
	3.00	31110-03	31111-03
	4.00	31110-04	31111-04
	5.00	31110-05	31111-05
	6.00	31110-06	31111-06

Accessories for Locator R-Tx abutment		
unique platform		
	30013	pack of 4 caps and 4 black retainers for impression taking
	30001	grey, without retention, pack of 4 pcs
	30002	blue, low retention, pack of 4 pcs
	30003	pink, medium retention, pack of 4 pcs
	30004	white, high retention, pack of 4 pcs
	30012	black, for the impression taking, pack of 4 pcs
	08514	spacer rings for the prosthesis relining phase, pack of 20 pcs

Accessories for Locator R-Tx abutment		
unique platform		
	30014	aluminium analogs for abutments ø 3.35 mm pack of 4 pcs
	30015	aluminium analogs for abutments ø 4.00, pack of 4 pcs
	30016	aluminium analogs for abutments ø 5.00, pack of 4 pcs
	30017	transfers with low retention, pack of 4 pcs
	30018	spacer rings for relining phase, pack of 4 pcs
	30021	Locator Core Tool for Locator R-Tx
	08008	RA screwdriver for Locator R-Tx, hex 1.25 mm
	08007	digital screwdriver for Locator R-Tx, hex 1.25 mm





Ball attachments and accessories

Ball attachments			
	transgingival h	ø 3.30 ●	ø 3.80 ●
	1.00	A-AS-330-1	A-AS-380-1
	2.00	A-AS-330-2	A-AS-380-2
	4.00	A-AS-330-4	A-AS-380-4

Caps for ball attachments		
unique platform		
	CAP-TFL-1	polyamide cap
	CONT-CAP-TFL-1	steel container for polyamide cap
	CAP-TIT-1	Gr. 5 Ti cap with cap in two parts, Ti retention spring and plastic
	AN-CAP-TIT-1	spare plastic ring
	MOL1-CAP-TIT-1	spare steel spring, average hardness
	MOL2-CAP-TIT-1	spare steel spring, soft
	CAP-1	gold alloy cap, with 3 plastic rings and a tin spacer for the lab

Analog for ball attachments	
	unique platform ANAS

Barre

Overdenture on bars		
	BARC-CAV-TIT	castable bar, l 5.00 cm, h 3.00 mm, thickness 2.20 mm, ovoid-shaped profile with spacer
	CAV-TIT	divisible bar attachment in titanium for oval bars, h 3.00 mm, thickness 2.20 mm
	BARC	castable bar, l 5.00 cm, ø 2.20 mm
	CAV-375	bar attachment in gold alloy for round bars ø 2.20 mm



rev. 11-20
v.01sb



Sweden & Martina S.p.A.
Via Veneto, 10
35020 Due Carrare (PD), Italy
Tel. +39.049.9124300
Fax +39.049.9124290
info@sweden-martina.com
www.sweden-martina.com

Sweden & Martina Ltd
Unit 45
Basepoint Business Centre
Metcalf Way, Crawley,
West Sussex, RH11 7XX, UK
Toll free 0800 1123575
info.uk@sweden-martina.com

Sweden & Martina Inc.
Distributor for U.S.
4700 S Mill Ave, Ste B-16
PO Box 23748 - Tempe, AZ 85282
Toll free 1-844-8MARTINA (1-844-862-7846)
info.us@sweden-martina.com
www.sweden-martinainc.com

Sweden & Martina Mediterranea S.L. - España
info.es@sweden-martina.com
Sweden & Martina Lda - Portugal
info.pt@sweden-martina.com

The implants, standard prosthetic components and surgical instruments contained in this catalogue are medical devices and are manufactured by Sweden & Martina S.p.A., except for:

- the Locator Abutment and related components which are medical devices manufactured by Zest Anchors, Inc., 2875 Loker Avenue East, Carlsbad, CA 92010, USA. Locator is a trademark by Zest Anchors, Inc.
- the Dynamic Abutment, Interfase Dynamica which are medical devices manufactured by Talladium España S.L., Avenida Blondel, 54 3º, 25002 Lleida, Spagna. Dynamic Abutment and Interfase Dynamica are trademarks by Talladium.

They conform to the ISO 9001 and ISO 13485 standards and are certified with the CE Mark (Class I) and CE 0476 mark (Class IIA and class IIB) in compliance with Regulation (EU) Medical Devices n. 2017/745.

The Sweden & Martina plant manufactures Medical Devices in compliance with the CGMPs in force in the USA and in other countries worldwide.



Some products may not be regulatory/released for sale in all markets.
All trademarks herein are the property of Sweden & Martina S.p.A. unless otherwise indicated.
This material is intended for laboratories and clinicians and is not intended for patient distribution.
This material is not to be redistributed, duplicated, or disclosed without the express written consent of Sweden & Martina S.p.A.
For additional product information, including indications, contraindications, warnings, precautions, and potential adverse effects, see Sweden & Martina S.p.A. website.
The contents are updated at the time of publication. Check with the company for any subsequent updates.