




Quality

Full MRI safety information is available in the MRI Safety Information document, which can be obtained and download at ifu.sweden-martina.com



97-60'æ.

info.tr@sweden-martina.com




Address


 Patient identifier



Patient Dental Passport



Stamp of dental clinic (name and address)

SL

Description of prosthetic-implant treatment and rehabilitation

The Sweden & Martina dental implants are made of commercially pure medical titanium grade 4 (ASTM F-67) because scientific research has shown that this metal is biocompatible with human tissues, which is a critical factor for determining bone integration. The company's commitment in the search for the highest quality raw materials, certificate of origin, allows your dentist to always choose the best option for your clinical needs.

We recommend you always follow the directions and the pre- and post-operative instructions of your implant expert and contact him if you have doubts on how to clean and care for your implant.

[illegible]

MD SN LOT UDI

DENTAL IMPLANT
Apply the adhesive label present inside the package

Label

POSITION

31

DATE OF RE-OPENING

TRANSMUCOUS
SCREW

DATE OF
PROSTHESIS

MD SN LOT UDI

ABUTMENT
Apply the adhesive label present inside the package

Label

Label

MD SN LOT UDI

DENTAL IMPLANT
Apply the adhesive label present inside the package

Label

POSITION

31

DATE OF RE-OPENING

TRANSMUCOUS
SCREW

DATE OF
PROSTHESIS

MD SN LOT UDI

ABUTMENT
Apply the adhesive label present inside the package

Label

Label

MD SN LOT UDI

DENTAL IMPLANT
Apply the adhesive label present inside the package

Label

POSITION

31

DATE OF RE-OPENING

TRANSMUCOUS
SCREW

DATE OF
PROSTHESIS

MD SN LOT UDI

ABUTMENT
Apply the adhesive label present inside the package

Label

Label

MD SN LOT UDI

DENTAL IMPLANT
Apply the adhesive label present inside the package

Label

POSITION

31

DATE OF RE-OPENING

TRANSMUCOUS
SCREW

DATE OF
PROSTHESIS

MD SN LOT UDI

ABUTMENT
Apply the adhesive label present inside the package

Label

Label

MD SN LOT UDI

DENTAL IMPLANT
Apply the adhesive label present inside the package

Label

POSITION

31

DATE OF RE-OPENING

TRANSMUCOUS
SCREW

DATE OF
PROSTHESIS

MD SN LOT UDI

ABUTMENT
Apply the adhesive label present inside the package

Label

Label

MD SN LOT UDI

DENTAL IMPLANT
Apply the adhesive label present inside the package

Label

POSITION

31

DATE OF RE-OPENING

TRANSMUCOUS
SCREW

DATE OF
PROSTHESIS

MD SN LOT UDI

ABUTMENT
Apply the adhesive label present inside the package

Label

Label

[illegible]

Posizione Impianto Dentale														Informazioni sulla sicurezza dell'imaging radiografica magnetica																																																																						
SU														Questo paziente ha ricevuto medicina impiantata dentale e / o ortopedica con materiali magnetici e / o radioattivi. La medicina impiantata può interferire con la diagnostica magnetica solo in condizioni non specifiche. L'interferenza può essere evitata con la corretta installazione e l'uso appropriato dell'impianto. L'interferenza può essere evitata con la corretta installazione e l'uso appropriato dell'impianto.																																																																						
16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Descrizione trattamento di radiodiagnostica (posizione)														Indicazioni di cura e mantenimento																																																																						
														Le donne soggette ad una risonanza magnetica di emergenza, ma durante la quale anche senza l'impianto, si è verificata la presenza di un'alterazione della funzione cardiaca, dovrebbero essere sottoposte a un'ecografia cardiaca, prima di essere sottoposte a una risonanza magnetica di emergenza, per escludere la presenza di un'alterazione della funzione cardiaca. Le donne soggette ad una risonanza magnetica di emergenza, ma durante la quale anche senza l'impianto, si è verificata la presenza di un'alterazione della funzione cardiaca, dovrebbero essere sottoposte a un'ecografia cardiaca, prima di essere sottoposte a una risonanza magnetica di emergenza, per escludere la presenza di un'alterazione della funzione cardiaca.																																																																						

[illegible][illegible]

